

PRODUCT CARD

Short name

AKCT-FIX80X40X3-(2000)



Full name

Multi puprose rubber pad 80x40x3 mm

BASE DATA



Product group	Terrace accessories
Application	• terrace joist • raised deck terraces
Code	301.040311

EAN




TECHNICAL DATA

Minimum height	3 mm
Maximum height	3 mm
Total dimension - length	80 mm
Total dimension - width	40 mm
Total product dimensions - height	3 mm
Head diameter (top plate) Ø	0 mm (0 cm2)
Base diameter	Ø 0 mm (0 cm2)
Weight	~0.01 kg
Wytrzymałość na obciążenia do	0 kg



Fire resistance	E
Temperature range	od -20°C do 65°C
Color	black
Mandatory warranty	Limited 10-year residential and commercial warranty
Country of origin	Poland
Material name	Thermoplastic elastomer - black regranelate
Percentage of recycled material	100 %
Type of waste	• non-hazardous waste - recyclable
Project type	• interior use • exterior use



What finishing materials can be used

- hardwood joist
- softwood joist
- aluminium joist
- WPC joist

Consists of

Rubber shim 80x40x3

CERTIFICATES

Product certified by the Building Research Institute.
 NATIONAL TECHNICAL ASSESSMENT ITB-KOT-2022-2174



LOGISTICS INFORMATION

Package	Quantity Packaging Value	Package weight	Empty package weight	Palett	Number of packages on a pallet	Number of pieces on a pallet	Pallet weight	Empty pallet weight
BOX 500x300x200	2000	20 kg	0.381 kg	WOODEN PALLET 120x100x220	80	160000	1648 kg	18 kg

Characteristic features

Features of the accessory:

1. Universal application in construction
2. Made of flexible rubber material
3. Can be stacked on top of each other

Application

For universal applications in construction, also as rubber shims under joists.

Advantages

Advantages of the accessory:

1. Rubber shims are made of rubber material
2. Versatile application in construction

Installation recommendations

Lay the shims according to the need. There is a possibility to cut the shims into smaller parts.

Tools

Cutter for trimming shims (optional).

Recommendations for use

Brak